

CONDITIONS TO IMPORT BREEDER CATTLE FROM AUSTRALIA

1. Veterinary Inspection at Port of Entry.
2. The animal shall be tagged with an ear tag with ear tag for identification and traceability.
3. Veterinary Certificate from Veterinary Administration of **Australia** attesting that:
 - a. The animals for export have been examined and found to be healthy and free from clinical evidence of infectious or contagious disease and external parasite at time of embarkation.
 - b. **Australia** is officially free from Foot and Mouth Disease, Vesicular Stomatitis, Theileriosis (*T.parva* and *T.annulata*), Haemorrhagic Septicemia, Bovine Spongiform Encephalopathy, Rinderpest, Contagious Bovine Pleuropneumonia, Bovine Brucellosis and Bovine Tuberculosis, Rift Valley Fever and Lumpy Skin Disease for the past twelve (12) month prior to and till the date of export.
 - c. For the following diseases:
 - i. Anthrax
 1. The animals were kept for the 20 days prior to shipment in an establishment where no case of anthrax was officially declared during that period; or
 2. Were vaccinated, not less than 20 days and not more than 6 months prior to shipment
 - ii. Paratuberculosis
 1. The animals were kept since birth or for the 6 months prior to shipment, in an establishment where no case of Paratuberculosis was officially reported during the past year.
 - iii. Bovine Anaplasmosis
 1. The animals were vaccinated within 7 days of shipment with trivalent tick fever vaccine.
 - iv. Bovine Babesiosis
 1. The animals were vaccinated within 7 days of shipment with a trivalent tick fever vaccine
 - v. Bovine Genital Campylobacteriosis

1. For female bovine for breeding
 - a. The animals are virgin heifers; or
 - b. The animals were kept in a herd in which no case of Bovine Genital Campylobacteriosis has been declared; and/or
 - c. The animals were kept in an establishment in which no case of Bovine Genital Campylobacteriosis has been declared for the past twelve (12) months prior to and till date of export and/or;
 - d. For animal which have been mated, the culture of vaginal mucus for the presence of the causal agent of Bovine Genital Campylobacteriosis proved negative.

vi. Enzootic Bovine Leucosis (EBL)

1. The animals come from farms which after due inquiry and to the best of knowledge of the signing veterinarian have had no reported outbreaks of EBL in the 3 months immediately prior to export; or
2. The animals come from EBL free herd; or
3. The animals were kept in a herd in which:
 - i. There has been no evidence of EBL either clinical, post-mortem, or as a result of a diagnostic test for EBL within the previous 2 years;
 - ii. All animals over 24 months of age have been subjected to a diagnostic test for EBL on a blood sample on two occasions with negative results during the preceding 12 months, at an interval of at least 4 months. Or were tested on two occasions while segregated from the herd in an isolation unit approved by Veterinary Authority at an interval of at least 4 months

vii. Infectious Bovine Rhinotracheitis (IBR) Infectious Pustular Vulvovaginitis (IPV)

1. The animals come from farms which, after due inquiry and to the best of knowledge of the signing veterinarian, have had no reported outbreaks of IBR/IPV in the 3 months immediately prior to export; or
2. The animals come from IBR/IPV free herd; or

Licence AB No.

3. The animals were vaccinated with approved IBR vaccine prior to departure; or
4. The animals were kept in quarantine station for the 30 days prior to shipment and were subjected to a diagnostic test for IBR/IPV on blood sample on two occasions with negative results, at an interval of not less than 21 days.

viii. Trichomoniasis

1. For female bovine for breeding
 - a. The animals were kept in a herd in which no case of trichomoniasis has been reported; and/or
 - b. The animals were kept in an establishment in which no case of Trichomoniasis has been declared for the past twelve(12) months prior to and till date of export and/or;
 - c. For females which have been mated, direct microscopic examination and culture of vaginal mucus were negative
2. For bulls for breeding
 - a. The animal were kept in a herd in which no case or Trichomoniasis has been reported; and/or
 - b. The animals were kept in an establishment in which no case of Trichomoniasis has been declared for the past twelve(12) months prior to and till date of export and/or;
 - c. The animals have never been used for natural service; or
 - d. The animals have only mated virgin heifers; or
 - e. The animals were subjected to a direct microscopic and cultural examination of preputial specimens with negative results.

e. While in isolation prior to schedule date of shipment the animals are:-

- i. Treated with an approved acaricide within 1 week of shipment
- ii. Treated with an approved systemic anthelmintics within 72 hours of shipment

Licence AB No.

4. Quarantine in Sabah (Malaysia)
 - a. The animals shall be subject to quarantine for a period of not less than 10 clear days at the approved quarantine facility.

5. The confirmed time of arrival should be made known to the Animal Quarantine Office at **Kota Kinabalu International Airport Terminal 1 (KKIA T1)**, Tel: **088-413401 or 088-413400 (Fax)**, at least 2 days in advance.

Note: This licence is valid until

** Updated on 23 April 2020*